


TEXAS

EQUIPMENT

2023

MANUFACTURER OF
GARDEN MACHINES
- SINCE 1960



A LITTLE BIT ABOUT TEXAS

Andreas Petersen started developing his own tiller for the Danish market and in January 1966 the first Danish manufactured tiller was a reality.

From 1983, Texas started a total concept, which meant that everything for the garden could now be delivered, from lawn mowers, brush cutters, wood splitters, cutters, sweepers, etc.

Texas is still 100% Danish family owned. Our deep roots in production and designing machines for the garden people are shown in our many new product designs that are created continuously.



DISTRIBUTION

TEXAS is represented in 38 different countries, mainly located in Europe, but we also have sales offices and distributors in regions such as the Middle East, India, China and New Caledonia. We consider our home market as all of Europe. Through an extensive network of distributors, you as a customer can always get the service that should be expected.

The goal is still - and always has been - to provide quality garden machines. That, combined with the best after-sales service and over 25,000 spare parts available - is good for both the personal finance and the environment.





SOIL & KITCHEN GARDEN	4
Tillers	5
Accessories	10
Earth augers	11
LAWN	12
Robot lawn mowers	14
Electric/battery lawn mowers	15
Zero turn mowers	16
Razor mowers	19
Premium mowers	22
Lawn tractors	24
Accessories	26
Scarifiers	27
Weed cleaners	28
Lawn edgers	29
BATTERY SERIES	30
20V series	31
40V series	34
58V series	36
HEDGES, BUSHES & HIGH GRASS	38
Trimmers	39
Brush cutters	39
Scythe mower	41
Rotary mower	41
Accessories	42
Pruners	43
Hedge trimmers	43
CLEANING	44
Sweepers	45
Combi 800	48
Pro Trac/Sweep	50
Leaf vacs/blowers	52
Spreaders	52
High-pressure washers	53
Hose reels	54
Garden leaf cart	54
Weed burners	54
Potted plant mover	54
TREES & FIREWOOD	55
Chainsaws	56
Log splitters	57
ACCESSORIES	58
Accessories: chainsaws	58
Tools	58
Extension cord	58
Covers	58
WHICH OIL FITS YOUR MACHINE?	59



SOIL & KITCHEN GARDEN

We need to take good care of our earth. But that does not mean we cannot use it while we take care of it. TEXAS has designed and produced tillers and cultivators since the company was founded – it is part of the company's DNA. You can clearly see this by the wide range available for all segments. Remember to check the large range of accessories, which includes rake and plough for selected tillers – that is SMART KEEPING.

WATCH OUR VIDEOS



TILLERS

Texas has extensive experience in developing durable and efficient machines, that makes gardening much easier for you.

USE	300	750	1000	1400	1800
Light cultivation	●	●	●	●	●
Cultivation of vegetable garden	○	○	○	○	●
Cultivation and preparation of lawn	○	○	○	○	○

TILLERS	EL-TEX 1800
Engine	230V
Net power	1.8 kW
Gears	1 forward
Working width	28-40-60 cm
Working depth	26 cm
Transport wheels	•
Art. no.	90061161



NEW



EL-TEX 1800

- Minimal maintenance
- High-performance engine

ACCESSORIES
A machine with several accessory options (page 7 + 10)

REMEMBER TO GET
AN EXTENSION CORD
FOR OUTDOOR USE
PAGE 58



TILLERS	EL-TEX 300	EL-TEX 750	EL-TEX 1000	EL-TEX 1400
Engine	230V	230V	230V	230V
Net power	0.3 kW	0.75 kW	1.0 kW	1.4 kW
Gears	1 forward	1 forward	1 forward	1 forward
Working width	19 cm	28 cm	36 cm	38 cm
Working depth	15 cm	22 cm	20 cm	21 cm
Transport wheels	-	-	-	•
Art. no.	90062078	90062082	90062079	90063077



DUAL SHAFT ENGINE

2 engine shafts means reduced component wear and improved reliability



TRANSPORT WHEELS

Our tillers have rear mounted transport wheels

ACCESSORIES



USE	LILLI 3
Light cultivation	●
Cultivation of vegetable garden	●
Cultivation and preparation of lawn	○

LILLI 3 TILLERS

- Bolted chain gearbox
- High-performance engines
- Blade rotation speed of 130 rpm
- Rear mounted transport wheels
- Low weight



LILLI 365TG DUAL SHAFT

- Working width: 40-60 cm
- Dual Shaft engine
- A machine with several accessory options



TILLERS	LILLI 340TG	LILLI 345TG DUAL SHAFT	LILLI 360TG	LILLI 365TG DUAL SHAFT
Engine	TG195, 4-stroke	TG195D, 4-stroke	TG195, 4-stroke	TG195D, 4-stroke
Net power	1.4 kW	1.4 kW	1.4 kW	1.4 kW
Cylinder displacement	78.5 cc	78.5 cc	78.5 cc	78.5 cc
Gears	1 forward	1 forward + 1 reverse	1 forward	1 forward + 1 reverse
Working width	40 cm	40 cm	28-40-60 cm	28-40-60 cm
Working depth	26 cm	26 cm	26 cm	26 cm
Transport wheels	•	•	•	•
Art. no.	90061151	90061152	90061153	90061154

LIFETIME GUARANTEE

AGAINST BREAKAGE ON
TILLER BLADES!

(NORMAL ABRASSION
NOT COVERED)



ACCESSORIES:
EL-TEX 1800
LILLI 3 SERIES
FRX4000 (40V)
FR25800 (58V)





USE	LILLI 5
Light cultivation	●
Cultivation of vegetable garden	●
Cultivation and preparation of lawn	○



LILLI 5 TILLERS

- Powerful gearbox
- Bolted and specially heat treated knives
- Rear mounted transport wheels



TILLERS	LILLI 534B	LILLI 534TG DUAL SHAFT	LILLI 535TG DUAL SHAFT SET
Engine	B&S CR950, 4-stroke	TG715D, 4-stroke	TG725D, 4-stroke
Net power	4.2 kW	4.0 kW	4.0 kW
Cylinder displacement	208 cc	208 cc	212 cc
Gears	1 forward + 1 reverse	1 forward + 1 reverse	1 forward + 1 reverse
Working width	36-57-85 cm	36-57-85 cm	36-57-85 cm
Working depth	33 cm	33 cm	33 cm
Blade rotation speed	160 rpm	160 rpm	160 rpm
Adjustable handle	-	-	-
Art. no.	90061114	90061113	90061119

USE


Light cultivation	●
Cultivation of vegetable garden	●
Cultivation and preparation of lawn	●

FX**ACCESSORIES****TILLERS****FX 815TG**

Engine	TG725, 4-stroke
Net power	4.0 kW
Cylinder displacement	212 cc
Gears	2 forward + 1 reverse
Working width	56-80/88 cm
Working depth	30 cm
Blade rotation speed	82 / 113 rpm
Adjustable handle	•
Gear oil	Need to be added (1 l.)
Art. no.	90063182

USE

Light cultivation	●
Cultivation of vegetable garden	●
Cultivation and preparation of lawn	○

TX**ACCESSORIES: LILLI & TX****OIL BATH FILTER**
TG715/TG715D/
TG725/TG725DArt. no.
436630**TX TILLERS**

- Reduced blade speed for easier operation
- Bolted and specially heat treated knives
- Pedal operated transport wheels



TILLERS	TX 611TG DUAL SHAFT	TX 612TG DUAL SHAFT	TX 602B
Engine	TG725D, 4-stroke	TG725D, 4-stroke	B&S XR950, 4-stroke
Net power	4.0 kW	4.0 kW	4.5 kW
Cylinder displacement	212 cc	212 cc	208 cc
Gears	1 forward + 1 reverse	1 forward + 1 reverse	1 forward + 1 reverse
Working width	36-57-85 cm	36-57-85 cm	36-57-85 cm
Working depth	33 cm	33 cm	33 cm
Blade rotation speed	110 rpm	110 rpm	110 rpm
Adjustable handle	-	•	•
Art. no.	90061198	90061298	90061249

TEXAS

ACCESSORIES: TILLER

The wide range of TEXAS tillers has been designed as multimachines with several accessories available.

		LILLI 3 SERIES/ EL-TEX 1800/ FRX4000/FRZ5800	LILLI 5 SERIES	TX SERIES	FX SERIES
HARROW Working width: 60 cm		-	Art. no. 91070000100 ⁽¹⁾	Art. no. 91070000100 ⁽¹⁾	Art. no. 90063188 (not correct photo)
TURNING PLOUGH	 NEW	-	-	-	Art. no. 90063187
RIDGER		Art. no. 91032500100 ⁽⁵⁾	6" Art. no. 91060500100 ⁽²⁾	6" Art. no. 91060500100 ⁽²⁾	Art. no. 90063184
PLOUGH		-	6" Art. no. 91093000100 ⁽²⁾	6" Art. no. 91093000100 ⁽²⁾	Art. no. 90063185
LAWN SPIKER Working width: 66 cm		-	Art. no. 91051550100 ⁽³⁾	Art. no. 91051550100 ⁽³⁾	-
RAKE		55 cm Art. no. 91031100100 ⁽⁵⁾	80 cm Art. no. 91062500100 ⁽¹⁾	80 cm Art. no. 91062500100 ⁽¹⁾	-
POTATOE PLOUGH		-	-	-	Art. no. 90063183
WEEDER		40 cm Art. no. 91031500100 ⁽⁵⁾	65 cm Art. no. 91061500100 ⁽¹⁾	65 cm Art. no. 91061500100 ⁽¹⁾	-
DOZER BLADE Working width: 75 cm		-	Art. no. 92000160100 ⁽⁴⁾	Art. no. 92000160100 ⁽⁴⁾	-
SIDE DISC (SET)		-	12" Art. no. 91061000100	12" Art. no. 91061000100	-
WHEELS (SET)		10" Art. no. 91032000100	12" Art. no. 91053000100	12" Art. no. 91053000100	-
EXTENSION TUBE		-	Art. no. 91095000100	Art. no. 91095000100	-
IRON WHEELS (SET)		-	12" Art. no. 91060700100	12" Art. no. 91060700100	Art. no. 90063186
ROTOR KNIFE (SET)		-	Art. no. 91050700100	Art. no. 91050700100	-
FRONT ATTACHMENT PLATE		-	Art. no. 91058000100	Art. no. 91058000100	-
REAR CONSOLE		-	Art. no. 91057000100	Art. no. 91057000100	-
SCARIFIER Working width: 55 cm		Art. no. 91033600100	-	-	-

1) Needs 12" wheels and rear console 2) Needs 12" wheels or iron wheels and rear console 3) Needs rear console
4) Needs front attachment plate and 12" wheels 5) Needs 10" wheels and adapter (451224)

EARTH AUGERS

An earth auger makes it easy to make a straight and narrow hole, which ensures better stability for a pole. At the same time, the excavation work goes much faster.

REMEMBER TO GET
AN EXTENSION CORD
FOR OUTDOOR USE
PAGE 58



EARTH AUGERS	EA1200	EA5300
Engine	230V	2-stroke
Net power	1.2 kW	1.4 kW
Cylinder displacement	–	52 cc
Working depth	80 cm	80 cm
Max. auger size (ø)	150 mm	200 mm
Auger incl. (ø)	150 mm	–
Weight w/o auger	9 kg	9.1 kg
Art. no.	90063116	90063106

ACCESSORIES		EA1200	EA5300			EA1200	EA5300
AUGER Ø:100 mm		Art. no. 90063110	Art. no. 90063110	Auger Ø:200 mm		–	Art. no. 90063112
Auger Ø:150 mm		Art. no. 90063111	Art. no. 90063111	Ice Auger Ø:200 mm		–	Art. no. 90063113
EKSTRA HANDLE For 2 persons handling		–	Art. no. 90063115	EXTENSION BAR 40 cm		Art. no. 90063114	Art. no. 90063114





LAWN

Grass is greener when it is watered, and more attractive when you cut it with a TEXAS lawn mower. We also have lawn edgers and scarifiers for gardening connoisseurs, which means there are no more excuses for not having the most beautiful gardens in the world. Just remember – to spend time enjoying your garden.

WATCH OUR
VIDEOS



BEFORE CHOOSING A LAWN MOWER

A few things to consider before choosing a lawn mower. Like how big is your lawn, what functions should the machine have (3-in-1/4-in-1) and what features do you need.

USE	ELECTRIC	BATTERY	GASOLINE 40-42 CM	GASOLINE 46-48 CM	GASOLINE 51-53 CM	GASOLINE 61-108 CM
Lawn up to 200 m ²	●	●	●	○	○	○
Lawn up to 400 m ²	●	●	●	●	○	○
Lawn up to 800 m ²	○	○	○	●	●	○
Lawn up to 1000 m ²	○	○	○	○	●	●
Lawn up to 2000 m ²	○	○	○	○	○	●

MAINTENANCE


Before you carry out maintenance, it is important that you remove the spark plug cap from the spark plug.

3-IN-1

3-IN-1


4-IN-1

4-IN-1




1. MULCHING

Mulching is ideal for ornamental lawns. With the mulching guard fitted in the lawn mower, the grass is cut into very tiny pieces, which disappear between the blades of grass and rot down to provide natural fertiliser for the grass. Mulching requires dry grass and more frequent mowing – once or twice a week to work optimally.




2. REAR DISCHARGE

Suitable for places where the grass is not cut very often, and where it is therefore long, e.g. holiday home gardens. Since a collector bag will fill quickly and needs to be emptied many times, this means the lawn will be mown faster and more easily.



3. REAR COLLECT

Ideal for most types of garden, where the grass is mown regularly. The grass is collected in the collecting bag and leaves the lawn neat and newly cut – without any trace of cuttings.



4. SIDE DISCHARGE

Like rear discharge, this is suitable for places where the grass is not cut very often, and where it is therefore long, e.g. the holiday home gardens. Side discharge spreads the grass cuttings sideways in a thin layer on the lawn.



E-START BUTTON

Instead of having to pull the recoil starter (cord pull), the machine starts when you press the button on the handlebar panel.



COMFORT HANDLE FOR HEIGHT ADJUSTMENT

With one central handle the height adjustment is easier and faster and it ensures your lawn mower is adjusted at the same level on all wheels.



WATER INLET FOR EASY CLEANING OF KNIFE AND CUTTING DECK

Clean the mower easily. Simply connect the water hose, turn on the water and the engine, and let the knife rotation wash the inside of the cutting deck.



PRACTICAL LIFTING HANDLE

With a handle at the front, it is easier for you to lift the mower up on to e.g. a trailer.

ROBOT LAWN MOWERS


TEXAS robot lawnmowers are designed for perfect mulching of your lawn. The blades cut the grass into very short pieces, which subsequently become ground cover for the lawn, where it fertilises the soil and keeps moss at bay.

TEXAS robot lawnmowers have many features, such as a security code lock, low noise and automatic battery charging. Using a single boundary cable, you set the mowing boundary and the robot does the rest.

NEW




WIFI/APP




SECURITY
LOCK



MULTI-ZONE
& EDGE CUT



NARROW
PASSAGES



SLOPES



SENSORS



NOISE
LEVEL

ROBOT LAWN MOWERS	RMX 500	RMX 800
Battery	20V / 2.5 Ah	20V / 5.0 Ah
Max capacity	600 m ²	1.000 m ²
Recommended lawn area	500 m ²	800 m ²
Height adjustment	Central. 20-60 mm	Central. 20-60 mm
Cutting width	18 cm	18 cm
Blades	3 pcs. pivoting blades	3 pcs. pivoting blades
Operating time	60-90 min	120-180 min
Battery charging time	120 min	120 min
Level of noise	62 dB(A)	62 dB(A)
Incline	Max. 20°	Max. 20°
Incl.	130 m boundary cable + 180 pegs + 2 sets of extra blades + charging station	170 m boundary cable + 230 pegs + 2 sets of extra blades + charging station
Weight	8 kg	8.2 kg
Art. no.	90070211	90070212

ACCESSORIES

GARAGE ROOF
For RMX 500/800



Art. no.
90070215



ELECTRIC AND BATTERY LAWN MOWERS

If you choose an electric or cordless lawn mower, you will get an environmentally friendly machine with zero emissions and less noise and vibrations. The motor is also maintenance free compared to a gasoline engine.

With a cordless lawn mower, you avoid the long cable and have a bigger freedom to move around everywhere.

REMEMBER TO GET AN EXTENSION CORD
FOR OUTDOOR USE
PAGE 58



LAWN MOWERS	SMART 3200	TME 1600	SMART 4400	RAZOR 3300LI
Engine	230V	230V	230V	18V
Net power	1.2 kW	1.6 kW	1.8 kW	3.0 Ah
Starter	E-start	E-start	E-start	E-start
Driving	Push	Push	Push	Push
Cutting width	32 cm	38 cm	44 cm	33 cm
Functions	Rear discharge, rear collect	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect
Height adjustment	By axle 3 pos. 25-65 mm	Central. 25-75 mm	Central 7 pos. 20-75 mm	Central 5 pos. 30-70 mm
Collection volume	30 l	40 l	55 l	30 l
Wheels	140/165 mm	150/200 mm	165/250 mm	140/165 mm
Cutting deck	Plastic	Plastic	Plastic	Plastic
Weight	8 kg	13 kg	16.5 kg	10.6 kg
Art. no.	90063150	90063151	90063162	90063155

TAKE A LOOK AT MORE
BATTERY LAWN MOWERS!
PAGE 32, 35 AND 37

RAZOR 3300LI

- 3.0 Ah battery and charger included
- 3-in-1 function: mulching, rear discharge and rear collect
- 150 min charging time (3.0 Ah battery)

ACCESSORIES: RAZOR 3300LI

EXTRA BATTERY
18V / 3.0 Ah



Art. no.
443547

EXTRA CHARGER
150 min (3.0 Ah)



Art. no.
443711

ZERO TURN LAWN MOWERS

With a Zero turn lawn mower, you get maximal maneuverability around the garden. It is very easy to get around flowerbeds, trees, bushes etc. As the front pivoting wheel can rotate, you avoid lifting og twisting the lawn mower, when changing direction. The front wheel can also be locked to go straight only.

The ranges cover models from 42 - 51 cm, to suit all garden sizes.

All models are equipped with reliable engines, easy height adjustment and comfortable handlebar with foam grip. Choose between push or self-propelled models.



ZT 5110TR/WE

- 2 pivoting frontwheels
- E-start button
- Comfort handle for height adjustment
- Water inlet for easy cleaning of knife and cutting deck



LAWN MOWERS	ZT 5110TR/W	ZT 5110TR/WE
Engine	TG670V	TG670EV
Net power	196 cc / 3.6 kW	196 cc / 3.6 kW
Starter	Recoil	Recoil + E-start
Driving	Self-propelled	Self-propelled
Cutting width	51 cm	51 cm
Functions	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect
Height adjustment	6 pos. 28-75 mm	6 pos. 28-75 mm
Collection volume	65 l	65 l
Wheels	8"/11"	8"/11"
Cutting deck	Steel	Steel
Weight	40 kg	40.5 kg
Art. no.	90066588	90066589



ZT 514TR/W 4-SPEED

- Easier maneuvering around obstacles with the pivoting frontwheel
- Multifunctional control panel
- 2-in-1 function: mulching, rear discharge, rear collect and side discharge
- Comfort handle for height adjustment



LAWN MOWERS	ZT 512TR/W	ZT 514TR/W 4-SPEED	ZT 515TR/WE
Engine	TG670V	TG670V	TG670EV
Net power	196 cc / 3.6 kW	196 cc / 3.6 kW	196 cc / 3.6 kW
Starter	Recoil	Recoil	Recoil + E-start
Driving	Self-propelled	Self-propelled	Self-propelled
Cutting width	51 cm	51 cm	51 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	6 pos. 30-80 mm	6 pos. 30-80 mm	6 pos. 30-80 mm
Collection volume	65 l	65 l	65 l
Wheels	7"/11"	7"/11"	7"/11"
Cutting deck	Steel	Steel	Steel
Weight	39 kg	40.5 kg	41.5 kg
Art. no.	90066601	90066602	90066603



LAWN MOWERS	PREMIUM 4275	PREMIUM 4275TR
Engine	NP80	NP80
Net power	79 cc / 1.4 kW	79 cc / 1.4 kW
Starter	Recoil	Recoil
Driving	Push	Self-propelled
Cutting width	42 cm	42 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	6 pos. 25-75 mm	6 pos. 25-75 mm
Collection volume	45 l	45 l
Wheels	6"/8"	6"/8"
Cutting deck	Steel	Steel
Weight	19.4 kg	21.9 kg
Art. no.	90066255	90066256



LAWN MOWERS	PREMIUM 4675W	PREMIUM 4675TR/W
Engine	TG470V	TG470V
Net power	139 cc / 2.3 kW	139 cc / 2.3 kW
Starter	Recoil	Recoil
Driving	Push	Self-propelled
Cutting width	46 cm	46 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	6 pos. 25-75 mm	6 pos. 25-75 mm
Collection volume	60 l	60 l
Wheels	7"/11"	7"/11"
Cutting deck	Steel	Steel
Weight	30 kg	32.7 kg
Art. no.	90066253	90066254

RAZOR LAWN MOWERS

The RAZOR series from TEXAS is a broad series of lawnmowers, consisting of 42, 46, 48 and 51 cm models. The series includes simple models with a limited range of accessories and larger models with the newest and best engines, including engines from Honda and Briggs & Stratton. We provide our own specially developed TEXAS engines at more attractive prices.

The Razor series is characterised by its functional and stylish design, and in general all of the models are equipped with central height adjustment, easily foldable handlebars, making it easier to store, large collector boxes that reduce the number of emptying times to a minimum, and all of the models have mulching.



LAWN MOWER	RAZOR 4810TR/M
Engine	TG470V
Net power	139 cc / 2.3 kW
Starter	Recoil
Driving	Self-propelled
Cutting width	48 cm
Functions	Mulching
Height adjustment	Central 5 pos. 25-75 mm
Collection volume	-
Wheels	8"/8"
Cutting deck	Steel
Weight	35 kg
Art. no.	90061131

RAZOR 4810TR/M

- Antivibration system with rubber suspension under engine
- Front wheel drive for easier maneuvering
- 8" wheels with double ball bearings. Grass scraper on all 4 wheels
- Deck pressed out of one piece of metal without any welding. Thickness is 2.5 mm

5110WS

- 2-in-1 function: mulching and side discharge
- Extra large 10" rear wheels



LAWN MOWERS	RAZOR 5110WS	RAZOR 4210	RAZOR 4210TR
Engine	TG480	TG150	TG150
Net power	145 cc / 2.6 kW	79.8 cc / 1.2 kW	79.8 cc / 1.2 kW
Starter	Recoil	Recoil	Recoil
Driving	Push	Push	Self-propelled
Cutting width	51 cm	42 cm	42 cm
Functions	Mulching, side discharge	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	-	45 l	45 l
Wheels	7"/10"	6"/7"	6"/7"
Cutting deck	Steel	Steel	Steel
Weight	24 kg	24 kg	25 kg
Art. no.	90066517	90066518	90066519



LAWN MOWERS	RAZOR 4610	RAZOR 4610TR/W	RAZOR 4650TR/WE
Engine	TG470	TG470	TG470E
Net power	139 cc / 2.3 kW	139 cc / 2.3 kW	139 cc / 2.3 kW
Starter	Recoil	Recoil	Recoil + E-start
Driving	Push	Self-propelled	Self-propelled
Cutting width	46 cm	46 cm	46 cm
Functions	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	65 l	65 l	65 l
Wheels	7"/8"	7"/10"	7"/10"
Cutting deck	Steel	Steel	Steel
Weight	30 kg	33 kg	37.5 kg
Art. no.	90066511	90066514	90066515



LAWN MOWERS	RAZOR 5120TR/W	RAZOR 5130TR/W	RAZOR 5155TR/WE
Engine	TG570	B&S DOV750EX	TG570E
Net power	173 cc / 3.2 kW	161 cc / 2.6 kW	173 cc / 3.2 kW
Starter	Recoil	Recoil	Recoil + E-start
Driving	Self-propelled	Self-propelled	Self-propelled
Cutting width	51 cm	51 cm	51 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	65 l	65 l	65 l
Wheels	8"/11"	8"/11"	8"/11"
Cutting deck	Steel	Steel	Steel
Weight	38.5 kg	37.5 kg	42.5 kg
Art. no.	90066522	90066551	90066520



HONDA

LAWN MOWERS	RAZOR 5160TR/WE 4-SPEED	RAZOR 5180TR/WE 4-SPEED	RAZOR 5190TR/W
Engine	TG570E	B&S DOV750EX	Honda GCV170
Net power	173 cc / 3.2 kW	161 cc / 2.6 kW	166 cc / 2.4 kW
Starter	Recoil + E-start	Recoil + E-start	Recoil
Driving	Self-propelled, 4 gears	Self-propelled, 4 gears	Self-propelled
Cutting width	51 cm	51 cm	51 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	65 l	65 l	65 l
Wheels	8"/11"	8"/11"	8"/11"
Cutting deck	Steel	Steel	Steel
Weight	43 kg	41 kg	35.5 kg
Art. no.	90066527	90066579	90066540

PREMIUM LAWN MOWERS

The PREMIUM series from TEXAS is a series of lawnmowers specially developed to meet the most demanding gardener's requirements. All of the Premium models are extra special: Ultra specifications, smart features and comfort are essential elements, and they are equipped with the best engines – including our own V series, and the well-known Briggs & Stratton and Honda engines.

All of the models also have large rear wheels, comfort handlebars, central height adjustment, water inlets, practical lifting handles integrated in the front and 4-in-1 functions: Collector, rear discharge, mulching and side discharge.

The design is completely new, providing a new and attractive look and the new cutting deck at 48 and 53 cm respectively, are designed to ensure even better grass collecting for all types of grass. Rather than the classic two-part handlebar, most PREMIUM models also have a new type of handlebar, with free space between the handlebar bars, which means the large collector can easily be lifted up between the bars, making emptying easier.



ALUMINIUM
CUTTING DECK

WLA 5391TR/W

- Practical lifting handle
- Comfort handle for height adjustment
- Powerful Honda engine

HONDA		
LAWN MOWER	WLA 5321TR/W	WLA 5391TR/W
Engine	TG670V	Honda GCV200
Net power	196 cc / 3.6 kW	201 cc / 2.8 kW
Starter	Recoil	Recoil
Driving	Self-propelled	Self-propelled
Cutting width	53 cm	53 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 8 pos. 15-80 mm	Central 8 pos. 15-80 mm
Collection volume	65 l	65 l
Wheels	8"/12"	8"/12"
Cutting deck	Aluminium	Aluminium
Weight	45 kg	45 kg
Art. no.	90066241	90066242



LAWN MOWERS	PREMIUM 4820TR/W	PREMIUM 4850TR/WE	PREMIUM 5320TR/W
Engine	TG470V	TG470EV	TG670EV
Net power	139 cc / 2.3 kW	139 cc / 2.3 kW	196 cc / 3.6 kW
Starter	Recoil	Recoil + E-start	Recoil
Driving	Self-propelled	Self-propelled	Self-propelled
Cutting width	48 cm	48 cm	53 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	65 l	65 l	65 l
Wheels	7"/10"	7"/10"	8"/11"
Cutting deck	Steel	Steel	Steel
Weight	35 kg	39 kg	42.5 kg
Art. no.	90066554	90066555	90066562



LAWN MOWERS	PREMIUM 5370TR/WE	PREMIUM 5380TR/W	PREMIUM 5390TR/W 4-SPEED
Engine	TG670EV	B&S DOV750EX	Honda GCV170
Net power	196 cc / 3.6 kW	161 cc / 2.6 kW	166 cc / 2.4 kW
Starter	Recoil + E-start	Recoil	Recoil
Driving	Self-propelled	Self-propelled	Self-propelled, 4 gears
Cutting width	53 cm	53 cm	53 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	65 l	65 l	65 l
Wheels	8"/11"	8"/11"	8"/11"
Cutting deck	Steel	Steel	Steel
Weight	42.5 kg	42 kg	37.5 kg
Art. no.	90066564	90066568	90066567

LAWN TRACTORS

With a ride-on mower, you make it comfortable, faster and easier to mow the lawn. Texas offer ride-on mowers in two sizes: 61 cm and 76 cm, both ideal for normal to bigger garden lawns, as the compact size makes them easy to get around with.

RIDER 6110

Easy access to the engine



RIDER 6110

- Compact design
- Incl. hook for small trailer
- E-start



RIDER	RIDER 6110ES	RIDER 6110E
Engine	Loncin	Loncin
Net power	4.8 kW	4.8 kW
Cylinder displacement	196 cc	196 cc
Gears	4 forward + 1 reverse	4 forward + 1 reverse
Starter	Recoil + 12V E-start	Recoil + 12V E-start
Cutting width	61 cm	61 cm
Blade height	5 pos. 35-75 mm	5 pos. 35-75 mm
Cutting system	Side discharge	Rear collect 150 l
Blades	1	1
Wheels	10"/13"	10"/13"
Art. no.	90063141	90063140

RIDER 7600

- Strong engine
- Reinforced steering frame
- Incl. hook for small trailer
- E-start



RIDER	RIDER 7600E 2IN1	RIDER 7600E 3IN1
Engine	Loncin	Loncin
Net power	8.0 kW	8.0 kW
Cylinder displacement	432 cc	432 cc
Gears	5 forward + 1 reverse	5 forward + 1 reverse
Starter	12V E-start	12V E-start
Cutting width	76 cm	76 cm
Blade height	6 pos. 30-76 mm	6 pos. 30-76 mm
Cutting system	Side discharge, mulching	Rear collect 170 l, side discharge, mulching
Blades	1	1
Wheels	10"/15"	10"/15"
Art. no.	90063123	90063120

Texas' XC lawn tractors are all build on a reinforced steering frame and equipped with powerful engines. The lawn tractors are easy to operate and comes with normal 5+1 gearshift or a hydrostatic gearbox, where you control the speed with the foot pedal.

All the XC models comes with wash inlet integrated in the cutting deck for easy cleaning.

ACCESSORIES



XC160-108H

- hydrostatic gearbox made in USA
- Reinforced steering frame
- Incl. hook for accessories
- 2-in-1: Mulching and side discharge



LAWN TRACTORS	XC140-98	XC140-98H	XC160-108	XC160-108H
Engine	Loncin	Loncin	Loncin	Loncin
Net power	8.0 kW	8.0 kW	8.3 kW	8.3 kW
Cylinder displacement	432 cc	432 cc	452 cc	452 cc
Gears	5 forward + 1 reverse	Hydrostatic	5 forward + 1 reverse	Hydrostatic
Starter	12V E-start	12V E-start	12V E-start	12V E-start
Cutting width	98 cm	98 cm	108 cm	108 cm
Blade height	7 pos. 30-90 mm	7 pos. 30-90 mm	7 pos. 30-90 mm	7 pos. 30-90 mm
Cutting system	Side discharge, mulching	Side discharge, mulching	Side discharge, mulching	Side discharge, mulching
Blades	2	2	2	2
Turning radius	45 cm	45 cm	45 cm	45 cm
Wheels	15"/18"	15"/18"	15"/18"	15"/18"
Art. no.	90063129	90063130	90063133	90063131



HYDROSTATIC GEARBOX
MADE IN USA



XC160-102HC

- High-performance engine
- Hydrostatic gears
- 12V E-start
- Incl. hook for accessories
- Large collector box

LAWN TRACTOR	XC160-102HC
Engine	Loncin
Net power	8.3 kW
Cylinder displacement	452 cc
Gears	Hydrostatic
Starter	12V E-start
Cutting width	102 cm
Blade height	7 pos. 30-90 mm
Cutting system	Rear collect
Blades	2
Turning radius	45 cm
Wheels	15"/18"
Collector box	270 l
Art. no.	90063132

ACCESSORIES

MULCHING PLUG



Art. no.
90063128

ACCESSORIES

LAWN SPIKER

Working width: 120 cm



Art. no.
90053038

RAKE

Working width: 120 cm



Art. no.
90053035

LAWN SWEEPER

Working width: 96 cm
Capacity: 300 l.



Art. no.
90053031

LARGE DUMP CART WITH TIP

Capacity: 300 kg
Size: 154x95x35 cm



Art. no.
90053030

CENTRIFUGE SPREADER

Spreading width: Up to 2 m
Capacity: 60 l.



Art. no.
90053036

SMALL DUMP CART WITH TIP

Capacity: 150 kg
Size: 97x76x30 cm



Art. no.
90053034

SCARIFIER

Working width: 96 cm



Art. no.
90053033

COVER FOR RIDER/LAWN TRACTOR



Art. no.
40-11726

SCARIFIERS

Scarifiers are used to aerate the grass roots. If you aerate your lawn in spring and autumn, the grass grows stronger and the major problems with moss in the lawn are prevented.



MPC1300
2-in-1: Lawn
raker and scarifier
in one roll

SCARIFIERS	MPC1300 2-IN-1	MPC1400 2-IN-1	MPC1500 2-IN-1
Engine	230V	230V	230V
Net power	1.3 kW	1.4 kW	1.5 kW
Cylinder displacement	–	–	–
Working width	30 cm	32 cm	33 cm
Working depth	-0.9 / +0.5 cm	-1.0 / +0.5 cm	-1.2 / +0.5 cm
Blade type	Fixed	Fixed	Fixed
Collection volume	30 l	35 l	50 l
Art. no.	90062097	90063153	90063074

USE	MPC1300 2-in-1	MPC1400 2-in-1	MPC1500 2-in-1	PRO CUT 400TG	PRO CUT 460TG	PRO CUT 460B
Lawn up to 600 m ²	●	●	●	●	●	●
Lawn up to 1.000 m ²	○	○	○	●	●	●



PRO CUT 460
48 pcs. pivoting blades
of hardened steel

SCARIFIERS	PRO CUT 400TG	PRO CUT 460TG	PRO CUT 460B
Engine	TG725X	TG725	B&S XR950
Net power	4.0 kW	4.0 kW	4.5 kW
Cylinder displacement	212 cc	212 cc	208 cc
Working width	40 cm	46 cm	46 cm
Working depth	-1.5 / +0.5 cm	-3.0 / +0.5 cm	-3.0 / +0.5 cm
Blade type	Fixed	Pivoting	Pivoting
Collection volume	45 l	–	–
Art. no.	90066491	90061110	90061109

WEED CLEANERS

Texas weed cleaners makes it easy and gentle on both your back and knees to clean between the tiles on a regular basis, as you do not have to bend down to clean the grooves between the tiles.

ACCESSORIES: PRO WEED 710

BRUSH SET


Steel
6 pcs.



Art. no.
90061097

BRUSH SET

Nylon/steel
9 pcs.



Art. no.
90061098

PRO WEED 710

- T-shaped handlebar can be adjusted up/down
- The protection screen increases safety
- Combined nylon and metal brushes



WEED CLEANERS

PRO WEED 710

Engine	TG595, 4-stroke
Net power	2.9 kW
Cylinder displacement	173 cc
Driving	Push
Brush	Adjustable
Working width	70 cm
Art. no.	90061107

ACCESSORIES: WR140/WRS550/WR1080/WR1800

STEEL BRUSH




Art. no.
90063090

NYLON BRUSH



Art. no.
90063100



WEED CLEANERS	WR140	WRS550 2-IN-1	WR1080	WR1800
Engine	230V	230V	10.8V / 1.5 Ah	18V / 1.5 Ah
Net power	0.14 kW	0.55 kW	-	-
Adjustable handle	-	-	•	•
Brush ø	100 mm	100 mm	100 mm	100 mm
Working width	5 mm	5/190 mm	5 mm	5 mm
Art. no.	90063076	90063144	90063109	90063154



LAWN EDGERS

With a lawn edger, you can easily make a nice and sharp edge around your lawn or flower beds.

ACCESSORIES: EC1400 / EC2600

STEEL BRUSH



Art. no.
90062064

NYLON BRUSH



Art. no.
90062054

REMEMBER TO GET AN EXTENSION
CORD FOR OUTDOOR USE
PAGE 58

USE	EC1400	EC2600	EC7900
Lawn up to 600 m ²	●	●	●
Lawn up to 1.000 m ²	○	●	●
Lawn up to 2.000 m ²	○	○	●

EC1400

- 2-in-1:
Weed cleaner
and lawn edger
in one machine
- Adjust both height
and angle of the
handle



LAWN EDGERS	EC1400	EC2600	EC7900
Engine	230V	2-stroke	TG145, 4-stroke
Net power	1.4 kW	0.7 kW	1.4 kW
Cylinder displacement	-	26 cc	79.5 cc
Working depth	15-25-38 mm	10-20-30 mm	10-25-62 mm
Adjustable handle	•	•	•
Art. no.	90063069	90062059	90063097



BATTERY SERIES

No need to worry about extension cords or running out of petrol. Just charge the battery and you are ready to go.

Texas has 3 different battery series: 20V, 40V and 58V. The choice depends on the requirement for power and which task that should be solved.

A battery-powered product gives you more environmentally friendly machines, without CO₂ emissions, as well as lower noise and vibration levels. At the same time, you avoid the more difficult maintenance of a petrol engine.

WATCH OUR
VIDEOS





With Texas' 20V series, you can use all the machines you need in the garden with one battery. The 20V machines are ergonomic, light and easy to use. At the same time, you avoid having to think about fuel and extension cords to operate the machines.
2 battery sizes: 2 Ah and 4 Ah.

ACCESSORIES

EXTRA BATTERY
20V / 2.0 Ah



Art. no.
90063245

EXTRA BATTERY
20V / 4.0 Ah



Art. no.
90063246

SINGLE QUICK CHARGER
60 min (2.0 Ah)
120 min (4.0 Ah)



Art. no.
90063242

DOUBLE QUICK CHARGER
60 min (2.0 Ah)
120 min (4.0 Ah)



Art. no.
90063241

NEW

NEW

CTX2000

- 650 W brushless motor
- Ergonomic grip
- Low weight



NEW

MPX2000

- 650 W brushless motor
- Easy operation
- 2-in-1: Lawn rake and scarifier



2-IN-1



20V SERIES	CTX2000
Battery	20V / -
Gears	1 forward
Working width	36 cm
Working depth	21 cm
Transport wheels	•
Weight excl. battery	10 kg
Incl.	-
Art. no.	90063288

20V SERIES	MPX2000
Battery	20V / -
Working width	36 cm
Working depth	-1.2 / +0.6 cm
Blade type	Fixed
Collection volume	50 l
Weight excl. battery	11.25 kg
Incl.	Lawn rake and scarifier roll
Art. no.	90063289



20V SERIES	LMX2033	LMX2037	LMX2044
Battery	20V / 2 x 2.0 Ah	20V / 2 x 4.0 Ah	20V / 2 x 4.0 Ah
Capacity *	250 m ²	550 m ²	650 m ²
Driving	Push	Push	Push
Cutting width	33 cm	37 cm	44 cm
Functions	Rear discharge, rear collect	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect
Height adjustment	Central 5 pos. 25-65 mm	Central 6 pos. 25-75 mm	Central 6 pos. 25-70 mm
Collection volume	35 l	40 l	50 l
Wheels	150/150 mm	150/180 mm	175/225 mm
Cutting deck	Plastic	Plastic	Plastic
Weight excl. battery	10.6 kg	12.6 kg	12.6 kg
Incl.	2 x battery + charger	2 x battery + charger	2 x battery + charger
Art. no.	90063271	90063272	90063273



20V SERIES	LBX2000	HTX2000	CSX2000	CHX2000
Battery	20V / 4.0 Ah	20V / 2.0 Ah	20V / 4.0 Ah	20V / -
Functions	Variable speed 105-150 km/h	15 mm cutting width. 52 cm blade	25 cm guide bar. Chain speed 5 m/s	12.5 cm guide bar. Chain speed 8.5-11 m/s
Weight excl. battery	1.9 kg	2.1 kg	2.7 kg	1.2 kg
Motor type	Brush	Brush	Brush	Brush
Incl.	Battery + charger	Battery + charger	Battery + charger	-
Art. no.	90063253	90063252	90063257	90063290

* May vary depending on conditions

ACCESSORIES

EXTRA BATTERY
20V / 2.0 Ah



Art. no.
90063245

EXTRA BATTERY
20V / 4.0 Ah



Art. no.
90063246

SINGLE QUICK CHARGER
60 min (2.0 Ah)
120 min (4.0 Ah)



Art. no.
90063242

DOUBLE QUICK CHARGER
60 min (2.0 Ah)
120 min (4.0 Ah)



Art. no.
90063241

EXTRA BLADES
For GTX2000
12 pcs.



Art. no.
90070009

IMPACT DRILL
IDX2000
(SOLO)



Art. no.
90063291

NEW

NEW



20V SERIES	GTX2000	PHX2000	PCX2000	PHX2000 + PCX2000
Battery	20V / 2.0 Ah	20V / 2.0 Ah	20V / 2.0 Ah	20V / 2.0 Ah
Functions	Plastic blade. Plant guard. Adjustable cutting head	15 mm cutting width. 43 cm blade. 2.78 m long	19 cm guide bar. 2.59 m long. Chain speed 5 m/s	15 mm cutting width. 43 cm blade. 2.78 m long + 19 cm guide bar. 2.59 m long. Chain speed 5 m/s
Weight excl. battery	1.8 kg	3.1 kg	3.0 kg	3.1 / 3.0 kg
Motor type	Brush	Brush	Brush	Brush
Incl.	Battery + charger	Battery + charger + harness	Battery + charger + harness	Battery + charger + harness
Art. no.	90063251	90063254	90063255	90063256






This Texas 40V cordless line offers one shared battery that fits the most common garden machines used. The 40V line offer strong power, low weight, smart features like edge function for grass trimmer and rotatable rear-handle for hedge trimmer and competitive price.

Choose between 2 battery sizes: 2.5 Ah and 4 Ah (4 Ah battery is recommended for the chainsaw and the leaf blower).

FRX4000

- 2 forward + 1 reverse gear
- Minimal maintenance
- Working width: 40 cm



ACCESSORIES

A machine with several accessory options (page 7 + 10)

40V SERIES	FRX4000
Battery	40V / -
Gears	2 forward + 1 reverse
Working width	40 cm
Working depth	26 cm
Transport wheels	•
Motor type	Brushless
Incl.	-
Art. no.	90066650

ACCESSORIES

EXTRA BATTERY 40V / 2.5 Ah		Art. no. 90066660
EXTRA BATTERY 40V / 4.0 Ah		Art. no. 90066659
STANDARD CHARGER 75 min (2.5 Ah)		Art. no. 90066658
QUICK CHARGER 30 min (2.5 Ah)		Art. no. 90066657





GTX4000

- 33 cm cutting width
- Adjustable front handle
- Telescopic shaft
- The head can be tilted and rotated 180° so it can be used as edge cutter



40V SERIES	GTX4000	LBX4000	HTX4000	CSX4000
Battery	40V / 2.5 Ah	40V / -	40V / 2.5 Ah	40V / -
Functions	Auto feed head. Adjustable cutting head	Variable speed 101-126 km/h	23 mm cutting width. 58 cm blade. Rotatable handle	35 cm guide bar. Chain speed 16 m/s
Weight excl. battery	3 kg	1.6 kg	3.1 kg	3.8 kg
Incl.	Battery + standard charger	-	Battery + standard charger	-
Art. no.	90066661	90066651	90066662	90066663



40V SERIES	RAZOR 4200LI	RAZOR 4220TR-LI	RAZOR 4640TR-LI
Battery	40V / 2.5 Ah	40V / 2.5 Ah	40V / 2 x 2.5 Ah
Capacity *	300 m ²	200 m ²	400 m ²
Driving	Push	Self-propelled	Self-propelled
Cutting width	42 cm	42 cm	46 cm
Functions	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	45 l	45 l	65 l
Wheels	6"/7"	6"/7"	7"/10"
Cutting deck	Steel	Steel	Steel
Weight excl. battery	21 kg	22 kg	28.5 kg
Incl.	Battery + standard charger	Battery + standard charger	Battery + standard charger
Art. no.	90066666	90066667	90066655

* May vary depending on conditions



The 58V cordless series is a full line of products for the garden. With the 58V battery platform, you gain extra power similar to what gasoline machines offer. But you get all the advantages like light weight, zero emissions, minimal vibrations and noise and with much less maintenance.

Choose between 3 sizes of battery. 2 Ah offers lighter weight, but 4 Ah and 5 Ah offers longer working time.

FRZ5800

- 2 forward + 1 reverse gear
- Minimal maintenance
- Working width: 28-60 cm
- A machine with several accessory options (page 7 + 10)



NEW

ACCESSORIES

EXTRA BATTERY
58V / 2.0 Ah



Art. no.
90070051

EXTRA BATTERY
58V / 4.0 Ah



Art. no.
90070052

EXTRA BATTERY
58V / 5.0 Ah



Art. no.
90070053

QUICK CHARGER
60 min (2.0 Ah)
120 min (4.0 Ah)
150 min (5.0 Ah)



Art. no.
90070054

**EXTENSION POLE
FOR PCZ5800**
94 cm



Art. no.
90070055

**EXTENSION POLE
FOR BMZ5800**
81 cm



Art. no.
90070066

**EDGER FOR
BMZ5800**



Art. no.
90070065

**HARNESS FOR
BATTERY WAIST
BAG**



Art. no.
90070061

58V SERIES	FRZ5800
Battery	58V / -
Gears	2 forward + 1 reverse
Working width	28-40-60 cm
Working depth	26 cm
Transport wheels	•
Motor type	Brushless
Incl.	-
Art. no.	90070069



58V SERIES	LBZ5800	HTZ5800	TCZ5800	CSZ5800
Battery	58V / -	58V / -	58V / -	58V / -
Functions	Blower speed 230 km/h. With turbo function	22 mm cutting width. 65 cm blade	25 cm guide bar. Chain speed 15 m/s	45 cm guide bar. Chain speed 11.5 m/s
Weight excl. battery	2 kg	3 kg	2.8 kg	3.8 kg
Motor type	Brushless	Brush	Brushless	Brushless
Incl.	-	Battery waist bag	Battery waist bag	-
Art. no.	90070043	90070042	90070046	90070047



58V SERIES	BMZ5800	BCZ5800	GTZ5800	PCZ5800	PHZ5800
Battery	58V / -	58V / -	58V / -	58V / -	58V / -
Functions	40 cm line. 25 cm blade. 25 cm chainsaw. 55 cm hedge trimmer	40 cm line. 25 cm blade	30 cm Tap'n go head. Plant guard	20 cm guide bar. 2.1 m long. Chain speed 5 m/s	22 mm cutting width. 52 cm blade. 2.2 m long
Weight excl. battery	6.1 - 7.2 kg	3.6 kg	3.6 kg	5.4 kg	5.5 kg
Motor type	Brush	Brush	Brush	Brush	Brush
Incl.	Harness	Professional harness	Harness	Harness	Harness
Art. no.	90070064	90070063	90070041	90070045	90070044



FOLDABLE HANDLEBAR

For easy and compact vertical storage



58V SERIES	LMZ5800	LMZ5800TR
Battery	58V / 4.0 Ah	58V / 4.0 Ah
Capacity *	600 m ²	400 m ²
Driving	Push	Self-propelled, variable speed
Cutting width	51 cm	51 cm
Functions	Mulching, rear collect	Mulching, rear collect
Height adjustment	7 pos. central. 26-90 mm	7 pos. central. 26-90 mm
Collection volume	60 l	60 l
Wheels	8"/10"	8"/10"
Cutting deck	Steel	Steel
Motor type	Brushless	Brushless
Incl.	Battery + charger	Battery + charger
Art. no.	90070048	90070049

* May vary depending on conditions



HEDGES, BUSHES & HIGH GRASS

Get to grips with bushes, trim or cut them down to size. Once again this year we provide a wide range of bush cutters and hedge trimmers, which easily deals with the overgrown gardens or fallows. But remember to look at our multi machines, where you can have a brush cutter, hedge trimmer, trimmer and chainsaw all in a single machine. KEEP IT SMART!

WATCH OUR
VIDEOS



BRUSH CUTTERS

ACCESSORIES 

A brush cutter or trimmer is an essential machine for clearing grass, small plantations and shrubbery. It's also an easy way to make the final finish on your lawn. Texas offers both brushcutters / trimmers on battery, electricity and gasoline. The combi machines comes with both trimmer head, brushcutter blade, chainsaw and hedge trimmer attachments.

PRO TRIM 100

- Including lawn edger wheels
- Adjustable handle
- Telescopic shaft
- Plant guard

USE	PRO TRIM 100	GT 1200	GT 1080
Grass trimming	●	●	●
High grass	○	○	○



TRIMMERS	PRO TRIM 100	GT1200	GT1080
Engine	230V	12V / 1.3 Ah	10.8V / 1.5 Ah
Net power	0.6 kW	-	-
Working width	30 cm	19 cm	17 cm
Weight	2.9 kg	1.0 kg	1.2 kg
Art. no.	90068122	90063171	90063164

USE	BC358D	BCU33S	BCU43	BCP4300
Grass trimming	●	●	●	●
High grass	●	●	●	●
Brush cutter	●	●	●	●



BRUSH CUTTERS	BC358D	BCU33S	BCU43	BCP4300
Engine	4-stroke	2-stroke	2-stroke	2-stroke
Net power	1.0 kW	0.9 kW	1.25 kW	1.25 kW
Cylinder displacement	35.8 cc	33 cc	43 cc	43 cc
Working width	42 cm line / 25 cm blade	43 cm line / 25 cm blade	43 cm line / 25 cm blade	43 cm line / 25 cm blade
Trimmer head	Tap'n go	Tap'n go	Tap'n go	Tap'n go
Blade type	3-Tooth + 80-Tooth	3-Tooth	3-Tooth	3-Tooth
Harness	Professional	Standard	Standard	Professional
Weight	8.2 kg	7.7 kg	7.8 kg	8.6 kg
Art. no.	90068140	90067057	90067058	90067071



COMBI MACHINES	SMART COMBI 100 4-IN-1	SMART COMBI 100 5-IN-1
Engine	230V	230V
Net power	0.9 kW	0.9 kW
Cylinder displacement	-	-
Working width	36 cm line / 25 cm chainsaw / 41 cm hedge trimmer / 55 cm extension shaft	36 cm line / 25 cm blade / 25 cm chainsaw / 41 cm hedge trimmer / 55 cm extension shaft
Trimmer head	Tap'n go	Tap'n go
Blade	-	3-Tooth
Harness	•	•
Weight	2.5 kg (excl. accessories)	2.5 kg (excl. accessories)
Art. no.	90068131	90068123

ACCESSORIES: BCU33M / BCU43M / BCU52M

EXTENSION BAR

Lenght: 70 cm
Weight: 1.5 kg

Art. no.
90067063

EDGER

Lenght: 76 cm
Diameter: 4 cm
Weight: 4.5 kg

Art. no.
90067080

SWEEPER

Lenght: 75 cm
Diameter: 24.5 cm
Working width:
60 cm
Weight: 2.6 kg

Art. no.
90067081

BLOWER

Lenght: 75 cm
Weight: 0.5 kg

Art. no.
90067082



COMBI MACHINES	BCU33M 4-IN-1	BCU43M 4-IN-1	BCU52M 5-IN-1
Engine	2-stroke	2-stroke	2-stroke
Net power	0.9 kW	1.25 kW	1.3 kW
Cylinder displacement	33 cc	43 cc	52 cc
Working width	43 cm line / 25 cm blade / 25 cm chainsaw / 40 cm hedge trimmer	43 cm line / 25 cm blade / 25 cm chainsaw / 40 cm hedge trimmer	43 cm line / 25 cm blade / 25 cm chainsaw / 40 cm hedge trimmer
Trimmer head	Tap'n go	Tap'n go	Tap'n go
Blade	3-Tooth	3-Tooth	3-Tooth + 80-Tooth
Harness	•	•	•
Weight	5.5 kg (excl. accessories)	5.7 kg (excl. accessories)	6.1 kg (excl. accessories)
Art. no.	90067059	90067089	90067064

USE	PRO TRIM 600	PRO TRIM 600TR	CB8700	MULTI CUT 610
Grass trimming	●	●	○	●
High grass	●	●	●	●
Uneven terrain	○	●	●	●

ACCESSORIES



PRO TRIM

Forward trimmer head, which makes it very easy to trim around trees, along paths and hedges, and in uneven terrain



TRIMMERS	PRO TRIM 600	PRO TRIM 600TR
Engine	TG595, 4-stroke	TG595, 4-stroke
Net power	2.9 kW	2.9 kW
Cylinder displacement	173 cc	173 cc
Driving	Push	Self-propelled
Cutting width	60 cm	60 cm
Weight	33 kg	46 kg
Art. no.	90061101	90061100



SCYTHE MOWER	CB8700
Engine	Loncin, 4-stroke
Net power	2.5 kW
Cylinder displacement	159 cc
Driving	Self-propelled
Cutting width	87 cm
Cutting system	Single blade cut
Art. no.	90063181



GRASS CUTTER	MULTI CUT 610
Engine	Loncin, 4-stroke
Net power	3.6 kW
Cylinder displacement	196 cc
Gears speed	Variable
Cutting width	61 cm
Cutting height	25-75 mm
Cutting system	Side discharge
Art. no.	90063180

ACCESSORIES: TRIMMERS & BRUSH CUTTERS

		PRO TRIM 100	PRO TRIM 600/600TR	BCU33S BCU43	BC358D	BCP4300	SMART COMBI 100	BCU33M BCU43M BCU52M	COMBI 800 TRIMMER
1.6 MM TRIMMER LINE 15 M		Art. no. 5012-00	-	-	-	-	Art. no. 5012-00	-	-
2.4 MM TRIMMER LINE 15 M		-	-	Art. no. 5015-00	Art. no. 5015-00	Art. no. 5015-00	-	Art. no. 5015-00	-
2.4 MM TRIMMER LINE 90 M		-	-	Art. no. 62005240	Art. no. 62005240	Art. no. 62005240	-	Art. no. 62005240	-
4.0 MM 2 PCS. OF TRIMMER LINE 52 CM		-	Art. no. 438966	-	-	-	-	-	Art. no. 438966
4.0 MM ROLL OF LINE 2X10 M		-	Art. no. 423008	-	-	-	-	-	Art. no. 423008
WEED CLEANING HEAD		-	-	Art. no. 441124	Art. no. 441124	Art. no. 441124	-	-	-
TRIMMER HEAD STANDARD		-	-	Art. no. 451519	Art. no. 451519	Art. no. 451519	Art. no. 433936	Art. no. 451519	-
TRIMMER HEAD LUX		-	-	Art. no. 436546	Art. no. 436546	Art. no. 436546	-	Art. no. 436546	-
TRIMMER HEAD PRO (ALUMINIUM)		-	-	Art. no. 436547	Art. no. 436547	Art. no. 436547	-	Art. no. 436547	-
3-TOOTH BLADE METAL 25.4 MM HOLE		-	-	Art. no. 5603-250	Art. no. 5603-250	Art. no. 5603-250	-	Art. no. 5603-250	-
8-TOOTH BLADE METAL 25.4 MM HOLE		-	-	Art. no. 5608-250	Art. no. 5608-250	Art. no. 5608-250	-	Art. no. 5608-250	-
80-TOOTH CIRCULAR SAW BLADE METAL 25.4 MM HOLE		-	-	Art. no. 5680-250	Art. no. 5680-250	Art. no. 5680-250	-	Art. no. 5680-250	-
PROFESSIONAL HARNESS		-	-	Art. no. 40-11710	Art. no. 40-11710	Art. no. 40-11710	Art. no. 40-11710	Art. no. 40-11710	-
STANDARD HARNESS		-	-	Art. no. 423186	Art. no. 423186	Art. no. 423186	Art. no. 423186	Art. no. 423186	-

PRUNERS

Easily prune shrubs and trees in the garden. All models are battery driven, so you do not have to use all your strength and avoid sore fingers and joints.

GS1680LI

- Fast and powerful
- Kompakt design
- 3 cutting size settings
- Touch sensor



PRUNERS	GS1680LI	GS720 LI	GS720 LI TELESCOPIC
Engine	16.8V	7.2V	7.2V
Net power	2.0 Ah	1.5 Ah	1.5 Ah
Telescopic handle	-	-	•
Branch thickness	Max. 25 mm	Max. 20 mm	Max. 20 mm
Weight	0.9 kg	0.85 kg	1.75 kg
Incl.	Battery + charger + tools	Battery + charger	Battery + charger
Art. no.	90063145	90063156	90063157

HEDGE TRIMMERS

A good and proper hedge trimming gives a better inflow of light in the garden, and you create better growth conditions for both your hedge and the other plants.

USE	HTG360 LI	HTL2300
Privet, spirea etc.	●	●
Willow	○	●
Beech, elm etc.	○	●



HEDGE TRIMMERS	HTG360 LI	HTL2300
Engine	3.6V/1.3 Ah	2-stroke
Net power	-	0.65 kW
Cylinder displacement	-	22.5 cc
Cutting system	-	Dual cut
Blade length	12 cm	56 cm
Rotatable handle	-	180°
Branch thickness	Max. 8 mm	Max. 28 mm
Weight	0.82 kg	5.2 kg
Art. no.	90063152	90067086





CLEANING

It is not just about looking tidy. In fact it is necessary to clear areas of snow, salt, leaves and other rubbish – for your own safety and for the safety of other people. TEXAS yellow sweepers are almost synonymous with winter. When the snow falls and drifts, and a sweeper is not enough, we also provide snow throwers.

WATCH OUR
VIDEOS



SWEEPERS

Texas is Denmark's largest manufacturer of sweepers with more than 60 years of experience. During winter, the sweeper is perfect for snow removal. In spring, summer and autumn, the machine is ideal for cleaning.

230V E-START












SWEEPERS	HANDY SWEEP 650TG	HANDY SWEEP 650TGE
Engine	TG725S, 4-stroke	TG725ES, 4-stroke
Cylinder displacement	212 cc / 4.0 kW	212 cc / 4.0 kW
Gears	3 forward + 1 reverse	3 forward + 1 reverse
Starter	Recoil	Recoil + 230V E-start
Working width	60 cm	60 cm
Brush diameter	35 cm	35 cm
Wheels	4.10 x 13	4.10 x 13
Art. no.	90067523	90067524

230V E-START



SWEEPERS	HANDY SWEEP 710TG	HANDY SWEEP 710TGE	HANDY SWEEP 710B
Engine	TG715S, 4-stroke	TG725ES, 4-stroke	B&S XR950 series, 4-stroke
Cylinder displacement	208 cc / 4.0 kW	212 cc / 4.0 kW	208 cc / 4.5 kW
Gears	3 forward + 1 reverse	3 forward + 1 reverse	3 forward + 1 reverse
Starter	Recoil	Recoil + 230V E-start	Recoil
Working width	70 cm	70 cm	70 cm
Brush diameter	35 cm	35 cm	35 cm
Wheels	4.10 x 13	4.10 x 13	4.10 x 13
Art. no.	90067518	90067525	90067520

ACCESSORIES	650	710	650/710
COLLECTOR BOX	 Art. no. 90228200100	 Art. no. 90228100100	SNOW CHAINS (SET) FOR 4.10 X 13 WHEELS  Art. no. 90228700100
DOZER BLADE	 Art. no. 90228500100	 Art. no. 90228600100	SCARIFIER  Art. no. 90228300100
BRUSH SET 60/70 CM	 Art. no. 902275600	 Art. no. 425514	LED TORCH incl. universal adapter and 230V charger - 270 lumen/5W  Art. no. 90067095



SMART SWEEP 1000E

- 100 cm working width
- Adjustable brush speed
- Multi function handlebar and electric start
- Height adjustable handlebar
- Strong support wheel



ACCESSORIES

COLLECTOR BOX



800

Art. no.
90066697

1000

Art. no.
90066704

SNOW BRUSHES



Art. no.
90066701

Art. no.
90066702

DOZER BLADE



Art. no.
90066698

Art. no.
90066700

SWEEPERS	SMART SWEEP 800	SMART SWEEP 800E	SMART SWEEP 1000	SMART SWEEP 1000E
Engine	TG570, 4-stroke	TG570E, 4-stroke	TG570, 4-stroke	TG570E, 4-stroke
Net power	3.6 kW	3.6 kW	3.6 kW	3.6 kW
Cylinder displacement	173 cc	173 cc	173 cc	173 cc
Gears	3 forward + 1 reverse	3 forward + 1 reverse	3 forward + 1 reverse	3 forward + 1 reverse
Starter	Recoil	Recoil + 12V E-start	Recoil	Recoil + 12V E-start
Working width	80 cm	80 cm	100 cm	100 cm
Brush diameter	35 cm	35 cm	35 cm	35 cm
Art. no.	90066691	90066692	90066695	90066696



SWEEPERS	SWEEPER MS550	SWEEPER MS920	SWEEPER MS950
Use	Indoor and outdoor	Indoor and outdoor	Indoor and outdoor
Driving	Push	Push	Push
Filter	-	Foam sponge	Polyester
Working width	55 cm	92 cm	95 cm
Height adjustment	Variable	Variable	Variable
Collection volume	25 l	40 l	45 l
Wheels	175 x 35 mm	300 x 55 mm	300 x 55 mm
Art. no.	90067067	90067068	90067066





COMBI 800 - FOR ALL YEAR ROUND

The concept behind the multi machines, is that they can be used all year round. In addition, a multi machine saves space – you only need a basic machine, which takes up little space. Then you can choose what accessories you need – so you can enjoy the weekend and let TEXAS do the work!



TRIMMER

- 3 pos. side adjustment
- Working height adjustment
- Large working width
- For high grass trimming

COMBI 800

- 80 cm sweeping width
- 230V E-start on model 800TGE
- Easy connection system - without tools



WALK-BEHIND MULTI MACHINES	COMBI 800TG BASIC	COMBI 800TGE BASIC	COMBI 800B BASIC
Engine	TG725S, 4-stroke	TG725ES, 4-stroke	B&S XR950 series, 4-stroke
Net power	4.0 kW	4.0 kW	4.5 kW
Cylinder displacement	212 cc	212 cc	208 cc
Starter	Recoil	Recoil + 230V E-start	Recoil
Gears	4 forward + 1 reverse	4 forward + 1 reverse	4 forward + 1 reverse
Wheels	16" snow tyres	16" snow tyres	16" snow tyres
Art. no.	90068065	90068066	90068063



ACCESSORIES

TRIMMER


Working width: 60 cm
Trimmer line: 4 mm
Working height: 37-75 mm
Adjustable: 3 pos.
+30°/0°/-30°



Art. no.
90068086

COLLECTOR BOX

Volume: 160 l
Width: 80 cm



Art. no.
93300200100

SWEeper

Working width: 80 cm
Diameter: 45 cm
Adjustable: 3 pos.
+22°/0°/-22°
Brush speed: 400 rpm



Art. no.
90068076

DUMPER

Volume: 200 l
Max weight: 150 kg
Size: 310x930x720 mm



Art. no.
90068075

DOZER BLADE

Working width: 80 cm
Working height: 42 cm
Adjustable: 3 pos.
+22°/0°/-22°



Art. no.
90068078

SNOW CHAINS (SET)

4.80 x 8



Art. no.
90068079

SNOW THROWER

Working width: 61 cm
Working height: 55 cm
Blow system: Adjustable
2-stage system
Rotations: 130 rpm
Throwing distance: 8-15 m



Art. no.
90068077

CLICK'N
GO



1. PRESS DOWN FOOT PEDAL



2. REMOVE TOOL



3. ATTACH NEW TOOL

TEXAS



PRO TRAC/SWEEP

On traditional models, accessories are fitted using nuts and bolts. TEXAS PRO TRAC/SWEEP models are equipped with snap-couplings, so no tools are required whenever you want to change an accessory.




CLICK'N
GO



PRO TRAC

- Easy connection system
- Convenient position of all operation handles
- Reversible handlebars



2-in-1



WALK-BEHIND MULTI MACHINES

PRO TRAC 1350BE BASIC

Engine	B&S 2100, 4-stroke
Net power	10.7 kW
Cylinder displacement	420 cc
Gears	3 forward + 3 reverse
Starter	Recoil + E-start
Fuel	Gasoline
Wheels	5.00 x 10
Art. no.	90061184

ACCESSORIES

REAR TILLER

Working width: 37-68 cm
Rotations: 290 rpm
Working depth: 16 cm



Art. no.
90061180

HARROW

Working width:
60 cm



Art. no.
91070000100 ⁽⁹⁾

NEW

ROTOR MOWER

Working width: 66 cm
Cutting height: 10 cm



Art. no.
90061187

NEW

HARROW

Working width:
60 cm



Art. no.
90063188 ⁽⁹⁾

SWEeper

Working width: 100 cm
Diameter: 55 cm
Adjustable: 3 pos. +22°/0°/-22°
Brush speed: 300 rpm



Art. no.
90061187

RIDGER

7"



Art. no.
91076100100 ⁽⁹⁾

COLLECTOR BOX

Volume: 240 l.
For 100 cm sweeper



Art. no.
90042504

TURNING PLOUGH

7"



Art. no.
90063187 ⁽⁹⁾

DOZER BLADE

Working width: 100 cm
Working height: 42 cm
Adjustable: 3 pos. +22°/0°/-22°



Art. no.
90061188

RAKE

Working width:
80 cm



Art. no.
91062500100 ⁽⁹⁾

LED TORCH INCL. MOUNT AND CHARGER



Art. no.
90067094

POTATOE PLOUGH



Art. no.
91061200100 ⁽⁹⁾

NEW

SCYTHE MOWER

Cutting width: 117 cm
Cutting system:
Dual cut



Art. no.
90061190

WEEDER

Working width:
65 cm



Art. no.
91061500100 ⁽⁹⁾

REAR CONSOLE



Art. no.
90061179

TRAILER WITH SEAT

With tip function.
Capacity: 300 kg
Size: 154x95x35 cm



Art. no.
90061193 ⁽⁹⁾

⁹⁾ Needs rear console

LEAF VACS/BLOWERS

A leaf blower vac does not only make a lawn, driveway or terrace look good, as it will be free of leaf fall. On a lawn, the leaf blower vac also prevents moss and white spots if foliage is removed quickly.



BVX3000P

- Transparent window, that can be opened for easy cleaning
- Aluminium blade
- Variable speed
- With vacuum and blow



LEAF VACS/BLOWERS	BVC2800	BVA3000	BVX3000P	GBV270
Engine	230V	230V	230V	27.2 cc
Net power	2.8 kW	3.0 kW	3.0 kW	0.8 kW
Collection volume	35 l	30 l	45 l	40 l
Air speed	100-275 km/h	270 km/h	100-270 km/h	250 km/h
Capacity	10-13.5 m³/min	12 m³/min	10-14 m³/min	12 m³/min
Art. no.	90063045	90063108	90063178	90063179

SPREADERS

The spreader is a good alternative for those who need to spread to a wider area. The spreader is a multifunctional machine that can be used all year round. The machine, for example, is the ideal tool for salting in the winter or seeding in the spring.



SPREADERS	SMART SPREADER 100	SMART SPREADER 200	CS2500	CS3600	CS6000S
Capacity	12 l	25 l	25 l	36 l	58 l
Working width	45 cm	56 cm	Up to 2 m	Up to 2 m	Up to 3 m
Spreading method	Drop	Drop	Centrifuge	Centrifuge	Centrifuge
Dispensing volume	Variable	Variable	Variable	Variable	Variable
Frame	Plastic	Steel	Steel	Steel	Rust proof steel
Weight	2 kg	8.6 kg	10 kg	9.7 kg	12.7 kg
Art. no.	90063168	90051994	90052014	90052017	90052018

HIGH-PRESSURE WASHERS


A high-pressure washer is a versatile tool that can be used for many things. It is a quick and effective way to flush dirt and grime away with water under high pressure.

The unique 3-in-1 nozzle on the TEXAS models - combined with various accessory options - allows many types of surfaces to be cleaned: the wooden terrace, paving, roof, wall, car, boat and much more.



HTR1700

- Extra storage on the back
- Hose reel handle



HIGH-PRESSURE WASHERS

- 3-in-1 nozzle
- Storage for cord, hose, lance and spray gun



HIGH-PRESSURE WASHERS	HTR1400	HTR1600	HTR1700
Engine	230V	230V	230V
Net power	1.4 kW	1.6 kW	1.7 kW
Capacity	330 l/h	390 l/h	420 l/h
Working pressure	70 bar	80 bar	90 bar
Max pressure	110 bar	120 bar	130 bar
Nozzles	20° / turbo / 0°	20° / turbo / 0°	20° / turbo / 0°
Art. no.	90063211	90063212	90063213

ACCESSORIES

PATIO CLEANER PC1



Art. no.
90063216

PATIO CLEANER PC2 - adjustable



Art. no.
90063217

FIXED BRUSH



Art. no.
90063218

ROTARY BRUSH



Art. no.
90063219

90 DEGREE NOZZLE



Art. no.
90063220

DRAIN & PIPE CLEANER 10 m



Art. no.
90063221

HOSE REELS

A water hose is vital in all gardens throughout the year. With a hose reel, you always have control of the water hose, and it is easy to use and saves a lot of time.



HOSE REELS	20M	30M	LUX 20M	LUX 25M	LUX 30M
Capacity	20 m	30 m	20 m	25 m	30 m
Pressure	8 bar	8 bar	8 bar	8 bar	8 bar
Temperature	-5 to 45°C	-5 to 45°C	-5 to 45°C	-5 to 45°C	-5 to 45°C
Bracket	180°	180°	180°	180°	180°
Rewind	Automatic	Automatic	Automatic	Automatic	Automatic
Art. no.	90015543	90015544	90015540	90015541	90015542



POTTED PLANT MOWER	
Capacity	60 kg
Driving	Push
Handle	Adjustable
Max pot diameter	50 cm
Pot height	25-75 cm
Art. no.	90063170



WEED BURNER	WB600
Engine	230V
Net power	2.0 kW
Front handle	Adjustable
Incl.	4 nozzles
Temp. up to	max. 650°C
Art. no.	90063087

WEED BURNER	WB61100
Fuel	Gas
Capacity	10/11 kg. gas cylinder
Transport wheels	Rubber
Gas hose	2 m
Gas regulator	Adjustable
Art. no.	90063169



GARDEN LEAF CART	
Capacity	80-100 l
Driving	Push
Handle	Adjustable
Incl.	80 l bag
Size	50x52x90 cm
Art. no.	90063167



TREES & FIREWOOD

Remember that it is easiest to cut a tree in the direction it will naturally fall. In addition, you need to use a good chainsaw from TEXAS, and afterwards, a machine from our wide selection of log splitters, so that you get the most out of your resources with a minimum of effort. TEXAS has a wide and ergonomic range.

WATCH OUR
VIDEOS



CHAINSaws

A chainsaw is an essential tool when you need to cut down trees, prune or cut trunks into firewood.



CHAINSaws	XCS2600	XCS4200
Engine	2-stroke	2-stroke
Net power	0.9 kW	1.6 kW
Cylinder displacement	26 cc	42 cc
Bar length	25 cm / 10"	40 cm / 16"
Chain type	91PJ040X	Tex-chain 250
Chain adjustment	Tools	Tools
Weight	3.9 kg	5.5 kg
Art. no.	90068149	90068145



CHAINSaws	TS4518	XCS4500	XCS5600
Engine	2-stroke	2-stroke	2-stroke
Net power	1.8 kW	1.7 kW	2.35 kW
Cylinder displacement	45 cc	45 cc	56 cc
Bar length	45 cm / 18"	45 cm / 18"	50 cm / 20"
Chain type	Tex-chain 213	Tex-chain 213	Tex-chain 280
Chain adjustment	Tools	Tools	Tools
Weight	6.5 kg	6.7 kg	6.9 kg
Art. no.	90067013	90068146	90068147



ALL MODELS ARE WITH
OREGON BAR AND CHAIN

CHAINS	91PJ040X	TEX-CHAIN 213	TEX-CHAIN 250	TEX-CHAIN 280
Drive link thickness	1.3 mm	1.5 mm	1.3 mm	1.5 mm
Pitch	3/8H	.325"	3/8H	.325"
Drivelinks	40	72	57	78
File diameter	4.0 mm	4.8 mm	4.0 mm	4.8 mm
Art. no.	427124	40-213	40-250	40-280

LOG SPLITTERS

If you use a lot of firewood during the winter, it is a good idea to get a log splitter to help with the work.



POWER SPLIT

- Trays on both sides
- Electric motor
- Safety Guards
- Large pneumatic rubber wheels for all kinds of terrain (820V/830V)



LOG SPLITTERS	POWER SPLIT 720V	POWER SPLIT 820V	POWER SPLIT 830V
Engine	230V	230V	400V
Net power	3.5 kW	3.5 kW	3.0 kW
Log diameter	8-35 cm	8-35 cm	8-35 cm
Working length	25-50 cm	25-50 cm	25-50 cm
Working position	Vertical	Vertical	Vertical
Capacity	7 ton	8 ton	8 ton
Transport wheels	Plastic	Rubber	Rubber
Hydraulic oil	-	-	-
Art. no.	90052210	90052208	90052209



	SAW HORSE BENCH
Max capacity	50 kg
Unfolded (LxBxH)	66x65x91 cm
Folded (LxBxH)	66x11x101 cm
Weight	6.5 kg
Art. no.	90052299



























NEW

	POWER SAW 1800
Engine	230V
Net power	1.8 kW
Blade diameter	400 mm
Max. log diameter	12 cm
Art. no.	90052213




ACCESSORIES

A good start is only half the battle, and when it comes to the practical work with machines, you need to look after your equipment and yourself. It is important to remember to wear a safety helmet, safety goggles and safety trousers made from chainsaw fabric when working with a chainsaw.


Likewise, your machines will have a longer lifetime when you remember to maintain them using oil, cleaning and by replacing wearing parts. The correct treatment of batteries and cleaning of machines, provides them with the optimal working conditions for several seasons.

3 PCS. ROUND FILES 4 mm, 3/8"		Art. no. 40-10140	LED TORCH incl. universal adapter and 230V charger - 270 lumen/5W		Art. no. 90067095
3 PCS. ROUND FILES 4.8 mm, 0.325"		Art. no. 90052294	SPARK PLUG WRENCH 13/16 mm		Art. no. 40-11292
ROUND FILE WITH HANDLE 4 mm, 3/8"		Art. no. 40-10040H	SPARK PLUG WRENCH 19/21 mm		Art. no. 40-11291
FILE SET 4 mm, 3/8"		Art. no. 90052297	ALUMINIUM RAMPS Size: 180x20 cm Max 400 kg		Art. no. 90053021
FILE SET 4.8 mm, 0.325"		Art. no. 90052298	COMBI CANISTER for 2-stroke oil		Art. no. 501000
SAFETY PANTS L Class 1		Art. no. 40-11362	COVER FOR SWEEPER/ SNOW THROWER		Art. no. 40-11757
SAFETY PANTS XL Class 1		Art. no. 40-11360	COVER FOR LAWN MOWER/TILLER		Art. no. 40-11720
SAFETY PANTS XXL Class 1		Art. no. 40-11361	COVER FOR RIDER/ LAWN TRACTOR		Art. no. 40-11726
SAFETY HELMET WITH HEARING PROTECTORS		Art. no. 40-11700	20 M EXTENSION CORD, 230V, WITH EARTH For outdoor use Copper wire thickness: 3 x 1.5 mm ²		Art. no. 90051004
CARRYING BAG FOR CHAIN SAW		Art. no. 90052290	20 M EXTENSION CORD, 230V, WITHOUT EARTH For outdoor use Copper wire thickness: 2x1.0 mm ²		Art. no. 90051002
CHARGER 12V 1A		Art. no. 451520	30 M EXTENSION CORD, 230V, WITHOUT EARTH For outdoor use Copper wire thickness: 2x1.0 mm ²		Art. no. 90051005
CHARGER 6/12V 2A/4A		Art. no. 451523	MULTIMETER		Art. no. 451522

WHICH OIL FITS YOUR MACHINE?

		TILLERS	SWEEPERS/ COMBI 800	FX815TG/ PRO TRAC	4-STROKE BRUSH CUTTERS/ LAWN MOWERS	2-STROKE BRUSH CUTTERS/ HEDGE TRIMMERS	CHAINSAWS
SAE30 ENGINE OIL 0.6 L.		Art. no. 90406507	Art. no. 90406507	Art. no. 90406507	Art. no. 90406507	-	-
2-STROKE OIL 0.1 L.		-	-	-	-	Art. no. 90406529	Only gasoline Art. no. 90406529
2-STROKE OIL 0.5 L.		-	-	-	-	Art. no. 90406532	Only gasoline Art. no. 90406532
CHAIN OIL 1 L.		-	-	-	-	-	Art. no. 90406533
CHAIN OIL 4 L. Biodegradable		-	-	-	-	-	Art. no. 90406534
GREASE EP-1 (400 G)		Art. no. 90406565	Art. no. 90406565	-	Art. no. 90406565	Art. no. 90406565	-
GEARTEX EP-C SAE 80W-90 1 L.		-	-	Art. no. 90306522	-	-	-
HYDRAULIC OIL 1 L.		-	-	-	-	-	-
OIL CHANGING SET		Art. no. 40-11336	Art. no. 40-11336	Art. no. 40-11336	Art. no. 40-11336	-	-





TEXAS A/S | KNULLEN 22 | DK-5260 ODENSE S | DENMARK
TEL.: +45 6395 5555 | FAX: +45 6395 5558
EXPORT@TEXAS.DK | WWW.TEXAS-GARDEN.COM



Copyright © 2022 TEXAS A/S. All rights reserved.
The company cannot be held responsible for any printing errors, non-delivery, technical or design changes.

